

Ohio's Learning Standards Mathematics Geometry



DRAFT 2018

Table of Contents

Table of Contents	2
ntroduction	3
STANDARDS FOR MATHEMATICAL PRACTICE	4
Mathematical Content Standards for High School	7
How to Read the High School Content Standards	8
GEOMETRY CRITICAL AREAS OF FOCUS	10
GEOMETRY COURSE OVERVIEW	12
High School—Modeling	13
High School—Geometry	15
Geometry Standards	17
High School—Statistics and Probablity	21
Statistics and Probability Standards	22
Glossary	23
Table 3. The Properties of Operations.	
Table 4. The Properties of Equality Table 5. The Properties of Inequality	
Acknowledgements	



Introduction

PROCESS

To better prepare students for college and careers, educators used public comments along with their professional expertise and experience to revise Ohio's Learning Standards. In spring 2016, the public gave feedback on the standards through an online survey. Advisory committee members, representing various Ohio education associations, reviewed all survey feedback and identified needed changes to the standards. Then they sent their directives to working groups of educators who proposed the actual revisions to the standards. The Ohio Department of Education sent their revisions back out for public comment in July 2016. Once again, the Advisory Committee reviewed the public comments and directed the Working Group to make further revisions. Upon finishing their work, the department presented the revisions to the Senate and House education committees as well as the State Board of Education.

UNDERSTANDING MATHEMATICS

These standards define what students should understand and be able to do in their study of mathematics. Asking a student to understand something means asking a teacher to assess whether the student has understood it. But what does mathematical understanding look like? One hallmark of mathematical understanding is the ability to justify, in a way appropriate to the student's mathematical maturity, why a particular mathematical statement is true, or where a mathematical rule comes from. There is a world of difference between a student who can summon a mnemonic device to expand a product such as (a + b)(x + y) and a student who can explain where the mnemonic device comes from. The student who can explain the rule understands the mathematics at a much deeper level. Then the student may have a better chance to succeed at a less familiar task such as expanding

(a + b + c)(x + y). Mathematical understanding and procedural skill are equally important, and both are assessable using mathematical tasks of sufficient richness.

The standards are grade-specific. However, they do not define the intervention methods or materials necessary to support students who are well below or well above grade-level expectations. It is also beyond the scope of the standards to define the full range of supports appropriate for English language learners and for students with special needs. At the same time, all students must have the opportunity to learn and meet the same high standards if they are to access the knowledge and skills necessary in their post-school lives. Educators should read the standards allowing for the widest possible range of students to participate fully from the outset. They should provide appropriate accommodations to ensure maximum participation of students with special education needs. For example, schools should allow students with disabilities in reading to use Braille, screen reader technology or other assistive devices. Those with disabilities in writing should have scribes, computers, or speechto-text technology. In a similar vein, educators should interpret the speaking and listening standards broadly to include sign language. No set of grade-specific standards can fully reflect the great variety in abilities, needs, learning rates, and achievement levels of students in any given classroom. However, the standards do provide clear signposts along the way to help all students achieve the goal of college and career readiness.

The standards begin on page 4 with eight Standards for Mathematical Practice.

.



Standards for Mathematical Practice

The Standards for Mathematical Practice describe varieties of expertise that mathematics educators at all levels should seek to develop in their students. These practices rest on important "processes and proficiencies" with longstanding importance in mathematics education. The first of these are the NCTM process standards of problem solving, reasoning and proof, communication, representation, and connections. The second are the strands of mathematical proficiency specified in the National Research Council's report Adding It Up: adaptive reasoning, strategic competence, conceptual understanding (comprehension of mathematical concepts, operations and relations), procedural fluency (skill in carrying out procedures flexibly, accurately, efficiently, and appropriately), and productive disposition (habitual inclination to see mathematics as sensible, useful, and worthwhile, coupled with a belief in diligence and one's own efficacy).

1. Make sense of problems and persevere in solving them.

Mathematically proficient students start by explaining to themselves the meaning of a problem and looking for entry points to its solution. They analyze givens, constraints, relationships, and goals. They make conjectures about the form and meaning of the solution and plan a solution pathway rather than simply jumping into a solution attempt. They consider analogous problems, and try special cases and simpler forms of the original problem in order to gain insight into its solution. They monitor and evaluate their progress and change course if necessary. Older students might, depending on the context of the problem, transform algebraic expressions or change the viewing window on their graphing calculator to get the information they need. Mathematically proficient students can explain correspondences between equations, verbal descriptions, tables, and graphs or draw diagrams of important features and relationships, graph data, and search for regularity or trends. Younger students might rely on using concrete objects or pictures to help conceptualize and solve a problem. Mathematically proficient students check their answers to problems using a different method, and they continually ask themselves, "Does this make sense?" They can understand the approaches of others to solving more complicated problems and identify correspondences between different approaches.

2. Reason abstractly and quantitatively.

Mathematically proficient students make sense of quantities and their relationships in problem situations. They bring two complementary abilities to bear on problems involving quantitative relationships: the ability to decontextualize—to abstract a given situation and represent it symbolically and manipulate the representing symbols as if they have a life of their own, without necessarily attending to their referents—and the ability to contextualize, to pause as needed during the manipulation process in order to probe into the referents for the symbols involved. Quantitative reasoning entails habits of creating a coherent representation of the problem at hand; considering the units involved; attending to the meaning of quantities, not just how to compute them; and knowing and flexibly using different properties of operations and objects.

3. Construct viable arguments and critique the reasoning of others.

Mathematically proficient students understand and use stated assumptions, definitions, and previously established results in constructing arguments. They make conjectures and build a logical progression of statements to explore the truth of their conjectures. They are able to analyze situations by breaking them into cases, and can recognize and use counterexamples. They justify their conclusions, communicate them to others, and respond to the arguments of others. They reason inductively about data, making plausible arguments that take into account the context from which the data arose. Mathematically proficient students are also able to compare the effectiveness of two plausible arguments, distinguish correct logic or reasoning from that which is flawed, and—if there is a flaw in an argument—explain what it is. Elementary students can construct arguments using concrete referents such as objects, drawings, diagrams, and actions. Such arguments can make sense and be correct, even though they are not generalized or made formal until later grades. Later, students learn to determine domains to which an argument applies. Students at all grades can listen or read the arguments of others, decide whether they make sense, and ask useful questions to clarify or improve the arguments.



Standards for Mathematical Practice, continued

4. Model with mathematics.

Mathematically proficient students can apply the mathematics they know to solve problems arising in everyday life, society, and the workplace. In early grades, this might be as simple as writing an addition equation to describe a situation. In middle grades, a student might apply proportional reasoning to plan a school event or analyze a problem in the community.

By high school, a student might use geometry to solve a design problem or use a function to describe how one quantity of interest depends on another. Mathematically proficient students who can apply what they know are comfortable making assumptions and approximations to simplify a complicated situation, realizing that these may need revision later.

They are able to identify important quantities in a practical situation and map their relationships using such tools as diagrams, two-way tables, graphs, flowcharts, and formulas. They can analyze those relationships mathematically to draw conclusions. They routinely interpret their mathematical results in the context of the situation and reflect on whether the results make sense, possibly improving the model if it has not served its purpose.

5. Use appropriate tools strategically.

Mathematically proficient students consider the available tools when solving a mathematical problem. These tools might include pencil and paper, concrete models, a ruler, a protractor, a calculator, a spreadsheet, a computer algebra system, a statistical package, or dynamic geometry software. Proficient students are sufficiently familiar with tools appropriate for their grade or course to make sound decisions about when each of these tools might be helpful, recognizing both the insight to be gained and their limitations. For example, mathematically proficient high school students analyze graphs of functions and solutions generated using a graphing calculator. They detect possible errors by strategically using estimation and other mathematical knowledge. When making mathematical models, they know that technology can enable them to visualize the results of varying assumptions, explore consequences, and

compare predictions with data. Mathematically proficient students at various grade levels are able to identify relevant external mathematical resources, such as digital content located on a website, and use them to pose or solve problems. They are able to use technological tools to explore and deepen their understanding of concepts.

6. Attend to precision.

Mathematically proficient students try to communicate precisely to others. They try to use clear definitions in discussion with others and in their own reasoning. They state the meaning of the symbols they choose, including using the equal sign consistently and appropriately. They are careful about specifying units of measure and labeling axes to clarify the correspondence with quantities in a problem. They calculate accurately and efficiently and express numerical answers with a degree of precision appropriate for the problem context. In the elementary grades, students give carefully formulated explanations to each other. By the time they reach high school they have learned to examine claims and make explicit use of definitions.

7. Look for and make use of structure.

Mathematically proficient students look closely to discern a pattern or structure. Young students, for example, might notice that three and seven more is the same amount as seven and three more, or they may sort a collection of shapes according to how many sides the shapes have. Later, students will see 7×8 equals the well remembered $7 \times 5 + 7 \times 3$, in preparation for learning about the distributive property. In the expression $x^2 + 9x + 14$, older students can see the 14 as 2×7 and the 9 as 2 + 7. They recognize the significance of an existing line in a geometric figure and can use the strategy of drawing an auxiliary line for solving problems. They also can step back for an overview and shift perspective. They can see complex things, such as some algebraic expressions, as single objects or as being composed of several objects. For example, they can see $5 - 3(x - y)^2$ as 5 minus a positive number times a square and use that to realize that its value cannot be more than 5 for any real numbers x and y.



Standards for Mathematical Practice, continued

8. Look for and express regularity in repeated reasoning.

Mathematically proficient students notice if calculations are repeated, and look both for general methods and for shortcuts. Upper elementary students might notice when dividing 25 by 11 that they are repeating the same calculations over and over again, and conclude they have a repeating decimal. By paying attention to the calculation of slope as they repeatedly check whether points are on the line through (1, 2) with slope 3, students might abstract the equation (y-2)/(x-1) = 3. Noticing the regularity in the way terms cancel when expanding (x-1)(x+1), $(x-1)(x^2+x+1)$, and $(x-1)(x^3+x^2+x+1)$ might lead them to the general formula for the sum of a geometric series. As they work to solve a problem, mathematically proficient students maintain oversight of the process, while attending to the details. They continually evaluate the reasonableness of their intermediate results

CONNECTING THE STANDARDS FOR MATHEMATICAL PRACTICE TO THE STANDARDS FOR MATHEMATICAL CONTENT

The Standards for Mathematical Practice describe ways in which developing student practitioners of the discipline of mathematics increasingly ought to engage with the subject matter as they grow in mathematical maturity and expertise throughout the elementary, middle, and high school years. Designers of curricula, assessments, and professional development should all attend to the need to connect the mathematical practices to mathematical

content in mathematics instruction expertise throughout the elementary, middle, and high school years. Designers of curricula, assessments, and professional development should all attend to the need to connect the mathematical practices to mathematical content in mathematics instruction.

The Standards for Mathematical Content are a balanced combination of procedure and understanding. Expectations that begin with the word "understand" are often especially good opportunities to connect the practices to the content. Students who lack understanding of a topic may rely on procedures too heavily. Without a flexible base from which to work, they may be less likely to consider analogous problems, represent problems coherently, justify conclusions, apply the mathematics to practical situations, use technology mindfully to work with the mathematics, explain the mathematics accurately to other students, step back for an overview, or deviate from a known procedure to find a shortcut. In short, a lack of understanding effectively prevents a student from engaging in the mathematical practices. In this respect, those content standards which set an expectation of understanding are potential "points of intersection" between the Standards for Mathematical Content and the Standards for Mathematical Practice. These points of intersection are intended to be weighted toward central and generative concepts in the school mathematics curriculum that most merit the time, resources, innovative energies, and focus necessary to qualitatively improve the curriculum, instruction, assessment, professional development, and student achievement in mathematics.



Mathematical Content Standards for High School

PROCESS

The high school standards specify the mathematics that all students should study in order to be college and career ready. Additional mathematics that students should learn in order to take advanced courses such as calculus, advanced statistics, or discrete mathematics is indicated by (+), as in this example:

(+) Represent complex numbers on the complex plane in rectangular and polar form (including real and imaginary numbers).

All standards without a (+) symbol should be in the common mathematics curriculum for all college and career ready students. Standards with a (+) symbol may also appear in courses intended for all students. However, standards with a (+) symbol will not appear on Ohio's State Tests.

The high school standards are listed in conceptual categories:

- Modeling
- Number and Quantity
- Algebra
- Functions
- Geometry
- Statistics and Probability

Conceptual categories portray a coherent view of high school mathematics; a student's work with functions, for example, crosses a number of traditional course boundaries, potentially up through and including calculus.

Modeling is best interpreted not as a collection of isolated topics but in relation to other standards. Making mathematical models is a Standard for Mathematical Practice, and specific modeling standards appear throughout the high school standards indicated by a star symbol (*).

Proofs in high school mathematics should not be limited to geometry. Mathematically proficient high school students employ multiple proof methods, including algebraic derivations, proofs using coordinates, and proofs based on geometric transformations, including symmetries. These proofs are supported by the use of diagrams and dynamic software and are written in multiple formats including not just two-column proofs but also proofs in paragraph form, including mathematical symbols. In statistics, rather than using mathematical proofs, arguments are made based on empirical evidence within a properly designed statistical investigation.



How to Read the High School Content Standards

Conceptual Categories are areas of mathematics that cross through various course boundaries.

Standards define what students should understand and be able to do.

Clusters are groups of related standards. Note that standards from different clusters may sometimes be closely related, because mathematics is a connected subject.


Domains are larger groups of related standards. Standards from different domains may sometimes be closely related.

^G shows there is a definition in the glossary for this term.

- (★) indicates that modeling should be incorporated into the standard. (See the Conceptual Category of Modeling pages 13-14)
- (+) indicates that it is a standard for students who are planning on taking advanced courses. Standards with a (+) sign will not appear on Ohio's State Tests.

Some standards have course designations such as (A1, M1) or (A2, M3) listed after an **a., b.,** or **c.** .These designations help teachers know where to focus their instruction within the standard. In the example below the beginning section of the standard is the stem. The stem shows what the teacher should be doing for all courses. (Notice in the example below that modeling (*) should also be incorporated.)


Looking at the course designations, an Algebra 1 teacher should be focusing his or her instruction on **a.** which focuses on linear functions; **b.** which focuses on quadratic functions; and **e.** which focuses on simple exponential functions. An Algebra 1 teacher can ignore **c.**, **d.**, and **f**, as the focuses of these types of functions will come in later courses. However, a teacher may choose to touch on these types of functions to extend a topic if he or she wishes.





How to Read the High School Content Standards, continued

Notice that in the standard below, the stem has a course designation. This shows that the full extent of the stem is intended for an Algebra 2 or Math 3 course. However, **a.** shows that Algebra 1 and Math 2 students are responsible for a modified version of the stem that focuses on transformations of quadratics functions and excludes the f(kx) transformation. However, again a teacher may choose to touch on different types of functions besides quadratics to extend a topic if he or she wishes.





Geometry Critical Areas of Focus

CRITICAL AREA OF FOCUS #1

Applications of Probability

Building on probability concepts that began in grade 7, students use the languages of set theory to expand their ability to compute and interpret theoretical and experimental probabilities for compound events, attending to mutually exclusive events, independent events, and conditional probability. Students should make use of geometric probability models wherever possible. They use probability to make informed decisions related to real-world situations.

CRITICAL AREA OF FOCUS #2

Congruence, Proof and Construction

In previous grades, students were asked to draw triangles based on given measurements. They also have prior experience with rigid motions: translations, reflections, and rotations and have used these to develop notions about what it means for two objects to be congruent or to have symmetries of itself, rotational or reflected. Students establish triangle congruence criteria, based on analyses of rigid motions and formal constructions. They use triangle congruence as a familiar foundation for the development of formal and informal proof. Students prove theorems—using a variety of formats—and apply them when solving problems about triangles, quadrilaterals, and other polygons. They apply reasoning to complete geometric constructions and explain why they work. Students will extend prior experience with geometric shapes toward the development of a hierarchy of two-dimensional figures based on formal properties.

CRITICAL AREA OF FOCUS #3

Similarity, Proof, and Trigonometry

Students apply their earlier experience with dilations and proportional reasoning to build a formal understanding of similarity. They identify criteria for similarity of triangles, use it as a familiar foundation for the development of informal and formal proofs, problem solving and applications to similarity in right triangles. This will assist in the further development of right triangle trigonometry, with particular attention to special right triangles, right triangles with one side and one acute angle given and the Pythagorean Theorem. Students apply geometric concepts to solve real-world, design and modeling problems.

CRITICAL AREA OF FOCUS #4

Connecting Algebra and Geometry Through Coordinates

Building on their work with the Pythagorean theorem in 8th grade to find distances, students use a rectangular coordinate system to verify geometric relationships, including properties of special triangles and quadrilaterals and slopes of parallel and perpendicular lines.

CRITICAL AREA OF FOCUS #5

Circles With and Without Coordinates

Students prove basic theorems about circles, such as a tangent line is perpendicular to a radius, inscribed angle theorem, and theorems about chords, secants, and tangents dealing with segment lengths and angle measures. They study relationships among segments on chords, secants, and tangents as an application of similarity. Students use the distance formula to write the equation of a circle when given the radius and the coordinates of its center. Given an equation of a circle, they draw the graph in the coordinate plane, and apply techniques for solving quadratic equations, which relates back to work done with systems of equations in the first course to determine intersections between lines and circles. Students model and solve real-world problems applying these geometric concepts.



Geometry Critical Areas of Focus, continued

CRITICAL AREA OF FOCUS #6

Extending to Three Dimensions

Students' experience with two-dimensional and three dimensional objects is extended to include informal explanations of circumference, area and volume formulas. Students develop the understanding of how changes in dimensions result in similar and non-similar shapes and how scaling changes lengths, areas and volumes. Additionally, students apply their knowledge of two-dimensional shapes to consider the shapes of cross-sections and the result of rotating a two-dimensional object about a line. They solve real-world problems applying these geometric concepts.



GEOMETRY COURSE OVERVIEW

GEOMETRY

CONGRUENCE

- Experiment with transformations in the plane.
- Understand congruence in terms of rigid motions.
- Prove geometric theorems both formally and informally using a variety of methods.
- · Make geometric constructions.
- · Classify and analyze geometric figures.

SIMILARITY, RIGHT TRIANGLES, AND TRIGONOMETRY

- Understand similarity in terms of similarity transformations.
- Prove and apply theorems involving similarity both formally and informally using a variety of methods.
- Define trigonometric ratios, and solve problems involving right triangles.

CIRCLES

- Understand and apply theorems about circles.
- Find arc lengths and areas of sectors of circles.

MODELING IN GEOMETRY

Apply geometric concepts in modeling situations.

EXPRESSING GEOMETRIC PROPERTIES WITH EQUATIONS

- Translate between the geometric description and the equation for a conic section.
- Use coordinates to prove simple geometric theorems algebraically and to verify specific geometric statements.

MATHEMATICAL PRACTICES

- 1. Make sense of problems and persevere in solving them.
- 2. Reason abstractly and quantitatively.
- 3. Construct viable arguments and critique the reasoning of others.
- 4. Model with mathematics.
- 5. Use appropriate tools strategically.
- 6. Attend to precision.
- 7. Look for and make use of structure.
- 8. Look for and express regularity in repeated reasoning.

GEOMETRIC MEASUREMENT AND DIMENSION

- Explain volume formulas, and use them to solve problems.
- Visualize relationships between two- dimensional and threedimensional objects.
- Understand the relationships between lengths, area, and volumes.

STATISTICS AND PROBABILITY

CONDITIONAL PROBABILITY AND THE RULES OF PROBABILITY

- Understand independence and conditional probability, and use them to interpret data.
- Use the rules of probability to compute probabilities of compound events in a uniform probability model.



High School—Modeling

Modeling links classroom mathematics and statistics to everyday life, work, and decision-making. Modeling is the process of choosing and using appropriate mathematics and statistics to analyze empirical situations, to understand them better, and to improve decisions. Quantities and their relationships in physical, economic, public policy, social, and everyday situations can be modeled using mathematical and statistical methods. When making mathematical models, technology is valuable for varying assumptions, exploring consequences, and comparing predictions with data.

A model can be very simple, such as writing total cost as a product of unit price and number bought, or using a geometric shape to describe a physical object like a coin. Even such simple models involve making choices. It is up to us whether to model a coin as a three-dimensional cylinder, or whether a two-dimensional disk works well enough for our purposes. Other situations—modeling a delivery route, a production schedule, or a comparison of loan amortizations—need more elaborate models that use other tools from the mathematical sciences. Real-world situations are not organized and labeled for analysis; formulating tractable models, representing such models, and analyzing them is appropriately a creative process. Like every such process, this depends on acquired expertise as well as creativity.

Some examples of such situations might include the following:

- Estimating how much water and food is needed for emergency relief in a devastated city of 3 million people, and how it might be distributed.
- Planning a table tennis tournament for 7 players at a club with 4 tables, where each player plays against each other player.
- Designing the layout of the stalls in a school fair so as to raise as much money as possible.
- Analyzing stopping distance for a car.
- Modeling savings account balance, bacterial colony growth, or investment growth.
- Engaging in critical path analysis, e.g., applied to turnaround of an aircraft at an airport.
- Analyzing risk in situations such as extreme sports, pandemics, and terrorism.
- Relating population statistics to individual predictions.


In situations like these, the models devised depend on a number of factors: How precise an answer do we want or need? What aspects of the situation do we most need to understand, control, or optimize? What resources of time and tools do we have? The range of models that we can create and analyze is also constrained by the limitations of our mathematical, statistical, and technical skills, and our ability to recognize significant variables and relationships among them. Diagrams of various kinds, spreadsheets and other technology, and algebra are powerful tools for understanding and solving problems drawn from different types of real-world situations.



High School—Modeling, continued

One of the insights provided by mathematical modeling is that essentially the same mathematical or statistical structure can sometimes model seemingly different situations. Models can also shed light on the mathematical structures themselves, for example, as when a model of bacterial growth makes more vivid the explosive growth of the exponential function.

The basic modeling cycle is summarized in the diagram. It involves (1) identifying variables in the situation and selecting those that represent essential features, (2) formulating a model by creating and selecting geometric, graphical, tabular, algebraic, or statistical representations that describe relationships between the variables, (3) analyzing and performing operations on these relationships to draw conclusions, (4) interpreting the results of the mathematics in terms of the original situation, (5) validating the conclusions by comparing them with the situation, and then either improving the model or, if it is acceptable, (6) reporting on the conclusions and the reasoning behind them. Choices, assumptions, and approximations are present throughout this cycle.



In descriptive modeling, a model simply describes the phenomena or summarizes them in a compact form. Graphs of observations are a familiar descriptive model—for example, graphs of global temperature and atmospheric CO₂ over time.

Analytic modeling seeks to explain data on the basis of deeper theoretical ideas, albeit with parameters that are empirically based; for example, exponential growth of bacterial colonies (until cut-off mechanisms such as pollution or starvation intervene) follows from a constant reproduction rate. Functions are an important tool for analyzing such problems.

Graphing utilities, spreadsheets, computer algebra systems, and dynamic geometry software are powerful tools that can be used to model purely mathematical phenomena, e.g., the behavior of polynomials as well as physical phenomena.

MODELING STANDARDS

Modeling is best interpreted not as a collection of isolated topics but rather in relation to other standards. Making mathematical models is a Standard for Mathematical Practice, and specific modeling standards appear throughout the high school standards indicated by a star symbol (*).



High School—Geometry

An understanding of the attributes and relationships of geometric objects can be applied in diverse contexts—interpreting a schematic drawing, estimating the amount of wood needed to frame a sloping roof, rendering computer graphics, or designing a sewing pattern for the most efficient use of material.

Although there are many types of geometry, school mathematics is devoted primarily to plane Euclidean geometry, studied both synthetically (without coordinates) and analytically (with coordinates). Euclidean geometry is characterized most importantly by the Parallel Postulate, that through a point not on a given line there is exactly one parallel line. (Spherical geometry, in contrast, has no parallel lines.)

During high school, students begin to formalize their geometry experiences from elementary and middle school, using more precise definitions and developing careful proofs. Later in college some students develop Euclidean and other geometries carefully from a small set of axioms.

The concepts of congruence, similarity, and symmetry can be understood from the perspective of geometric transformation. Fundamental are the rigid motions: translations, rotations, reflections, and combinations of these, all of which are here assumed to preserve distance and angles (and therefore shapes generally). Reflections and rotations each explain a particular type of symmetry, and the symmetries of an object offer insight into its attributes— as when the reflective symmetry of an isosceles triangle assures that its base angles are congruent.

In the approach taken here, two geometric figures are defined to be congruent if there is a sequence of rigid motions that carries one onto the other. This is the principle of superposition. For triangles, congruence means the equality of all corresponding pairs of sides and all corresponding pairs of angles. During the middle grades, through experiences drawing triangles from given conditions, students notice ways to specify enough measures in a triangle to ensure that all triangles drawn with those measures are congruent. Once these triangle congruence criteria (ASA, SAS, and SSS) are established using rigid motions, they can be used to prove theorems about triangles, quadrilaterals, and other geometric figures.

Similarity transformations (rigid motions followed by dilations) define similarity in the same way that rigid motions define congruence, thereby formalizing the similarity ideas of "same shape" and "scale factor" developed in the middle grades. These transformations lead to the criterion for triangle similarity that two pairs of corresponding angles are congruent.

The definitions of sine, cosine, and tangent for acute angles are founded on right triangles and similarity, and, with the Pythagorean Theorem, are fundamental in many real-world and theoretical situations. The Pythagorean Theorem is generalized to non-right triangles by the Law of Cosines. Together, the Laws of Sines and Cosines embody the triangle congruence criteria for the cases where three pieces of information suffice to completely solve a triangle. Furthermore, these laws yield two possible solutions in the ambiguous case, illustrating that Side-Side-Angle is not a congruence criterion.



High School—Geometry, continued

Analytic geometry connects algebra and geometry, resulting in powerful methods of analysis and problem solving. Just as the number line associates numbers with locations in one dimension, a pair of perpendicular axes associates pairs of numbers with locations in two dimensions. This correspondence between numerical coordinates and geometric points allows methods from algebra to be applied to geometry and vice versa. The solution set of an equation becomes a geometric curve, making visualization a tool for doing and understanding algebra. Geometric shapes can be described by equations, making algebraic manipulation into a tool for geometric understanding, modeling, and proof. Geometric transformations of the graphs of equations correspond to algebraic changes in their equations.

Dynamic geometry environments provide students with experimental and modeling tools that allow them to investigate geometric phenomena in much the same way as computer algebra systems allow them to experiment with algebraic phenomena.

CONNECTIONS TO EQUATIONS

The correspondence between numerical coordinates and geometric points allows methods from algebra to be applied to geometry and vice versa. The solution set of an equation becomes a geometric curve, making visualization a tool for doing and understanding algebra. Geometric shapes can be described by equations, making algebraic manipulation into a tool for geometric understanding, modeling, and proof.



Geometry Standards

CONGRUENCE G.CO

Experiment with transformations in the plane.

G.CO.1 Know precise definitions of ray, angle, circle, perpendicular line, parallel line, and line segment, based on the undefined notions of point, line, distance along a line, and arc length.

G.CO.2 Represent transformations in the plane using, e.g., transparencies and geometry software; describe transformations as functions that take points in the plane as inputs and give other points as outputs. Compare transformations that preserve distance and angle to those that do not, e.g., translation versus horizontal stretch. **G.CO.3** Identify the symmetries of a figure, which are the rotations and reflections that carry it onto itself.

- **a.** Identify figures that have line symmetry; draw and use lines of symmetry to analyze properties of shapes.
- **b.** Identify figures that have rotational symmetry; determine the angle of rotation, and use rotational symmetry to analyze properties of shapes.

G.CO.4 Develop definitions of rotations, reflections, and translations in terms of angles, circles, perpendicular lines, parallel lines, and line segments.

G.CO.5 Given a geometric figure and a rotation, reflection, or translation, draw the transformed figure using items such as graph paper, tracing paper, or geometry software. Specify a sequence of transformations that will carry a given figure onto another.

Understand congruence in terms of rigid motions.

G.CO.6 Use geometric descriptions of rigid motions^G to transform figures and to predict the effect of a given rigid motion on a given figure; given two figures, use the definition of congruence in terms of rigid motions to decide if they are congruent^G.

G.CO.7 Use the definition of congruence in terms of rigid motions to show that two triangles are congruent if and only if corresponding pairs of sides and corresponding pairs of angles are congruent.
G.CO.8 Explain how the criteria for triangle congruence (ASA, SAS, and SSS) follow from the definition of congruence in terms of rigid motions.

Prove geometric theorems both formally and informally using a variety of methods.

G.CO.9 Prove and apply theorems about lines and angles. *Theorems include but are not restricted to the following: vertical angles are congruent; when a transversal crosses parallel lines, alternate interior angles are congruent and corresponding angles are congruent; points on a perpendicular bisector of a line segment are exactly those equidistant from the segment's endpoints.*

G.CO.10 Prove and apply theorems about triangles. Theorems include but are not restricted to the following: measures of interior angles of a triangle sum to 180°; base angles of isosceles triangles are congruent; the segment joining midpoints of two sides of a triangle is parallel to the third side and half the length; the medians of a triangle meet at a point.

G.CO.11 Prove and apply theorems about parallelograms. *Theorems include but are not restricted to the following: opposite sides are congruent, opposite angles are congruent, the diagonals of a parallelogram bisect each other, and conversely, rectangles are parallelograms with congruent diagonals.*



Geometry Standards, continued

CONGRUENCE, CONTINUED

G.CO

Make geometric constructions.

G.CO.12 Make formal geometric constructions with a variety of tools and methods (compass and straightedge, string, reflective devices, paper folding, dynamic geometric software, etc.). Copying a segment; copying an angle; bisecting a segment; bisecting an angle; constructing perpendicular lines, including the perpendicular bisector of a line segment; and constructing a line parallel to a given line through a point not on the line.

G.CO.13 Construct an equilateral triangle, a square, and a regular hexagon inscribed in a circle.

Classify and analyze geometric figures.

G.CO.14 Classify two-dimensional figures in a hierarchy based on properties.

SIMILARITY, RIGHT TRIANGLES, AND TRIGONOMETRY G.SRT Understand similarity in terms of similarity transformations.

G.SRT.1 Verify experimentally the properties of dilations^G given by a center and a scale factor:

- **a.** A dilation takes a line not passing through the center of the dilation to a parallel line and leaves a line passing through the center unchanged.
- **b.** The dilation of a line segment is longer or shorter in the ratio given by the scale factor.

G.SRT.2 Given two figures, use the definition of similarity in terms of similarity transformations^G to decide if they are similar; explain using similarity transformations the meaning of similarity for triangles as the equality of all corresponding pairs of angles and the proportionality of all corresponding pairs of sides.

G.SRT.3 Use the properties of similarity transformations to establish the AA criterion for two triangles to be similar.

Prove and apply theorems both formally and informally involving similarity using a variety of methods.

G.SRT.4 Prove and apply theorems about triangles. *Theorems* include but are not restricted to the following: a line parallel to one side of a triangle divides the other two proportionally, and conversely; the Pythagorean Theorem proved using triangle similarity.

G.SRT.5 Use congruence and similarity criteria for triangles to solve problems and to justify relationships in geometric figures that can be decomposed into triangles.

Define trigonometric ratios, and solve problems involving right triangles.

G.SRT.6 Understand that by similarity, side ratios in right triangles are properties of the angles in the triangle, leading to definitions of trigonometric ratios for acute angles.

G.SRT.7 Explain and use the relationship between the sine and cosine of complementary angles.

G.SRT.8 Solve problems involving right triangles.★

a. Use trigonometric ratios and the Pythagorean Theorem to solve right triangles in applied problems if one of the two acute angles and a side length is given. (G, M2)



Geometry Standards, continued

CIRCLES G.C

Understand and apply theorems about circles.

- **G.C.1** Prove that all circles are similar using transformational arguments.
- **G.C.2** Identify and describe relationships among angles, radii, chords, tangents, and arcs and use them to solve problems. *Include the relationship between central, inscribed, and circumscribed angles and their intercepted arcs; inscribed angles on a diameter are right angles; the radius of a circle is perpendicular to the tangent where the radius intersects the circle.*
- **G.C.3** Construct the inscribed and circumscribed circles of a triangle; prove and apply the property that opposite angles are supplementary for a quadrilateral inscribed in a circle.
- (+) **G.C.4** Construct a tangent line from a point outside a given circle to the circle.

Find arc lengths and areas of sectors of circles.

- G.C.5 Find arc lengths and areas of sectors of circles.
 - **a.** Apply similarity to relate the length of an arc intercepted by a central angle to the radius. Use the relationship to solve problems. (G, M2)
 - **b.** Derive the formula for the area of a sector, and use it to solve problems. (G, M2)

EXPRESSING GEOMETRIC PROPERTIES WITH EQUATIONS

G.GPE

Translate between the geometric description and the equation for a conic section.

G.GPE.1 Derive the equation of a circle of given center and radius using the Pythagorean Theorem; complete the square to find the center and radius of a circle given by an equation.

Use coordinates to prove simple geometric theorems algebraically and to verify specific geometric statements.

- **G.GPE.4** Use coordinates to prove simple geometric theorems algebraically and to verify geometric relationships algebraically, including properties of special triangles, quadrilaterals, and circles. For example, determine if a figure defined by four given points in the coordinate plane is a rectangle; determine if a specific point lies on a given circle. (G, M2)
- **G.GPE.5** Justify the slope criteria for parallel and perpendicular lines, and use them to solve geometric problems, e.g., find the equation of a line parallel or perpendicular to a given line that passes through a given point.
- **G.GPE.6** Find the point on a directed line segment between two given points that partitions the segment in a given ratio.
- **G.GPE.7** Use coordinates to compute perimeters of polygons and areas of triangles and rectangles, e.g., using the distance formula.★



Geometry Standards, continued

GEOMETRIC MEASUREMENT AND DIMENSION

G.GMD

Explain volume formulas, and use them to solve problems.

G.GMD.1 Give an informal argument for the formulas for the circumference of a circle, area of a circle, and volume of a cylinder, pyramid, and cone. *Use dissection arguments, Cavalieri's principle, and informal limit arguments.*

G.GMD.3 Use volume formulas for cylinders, pyramids, cones, and spheres to solve problems.★

Visualize relationships between two-dimensional and threedimensional objects.

G.GMD.4 Identify the shapes of two-dimensional cross-sections of three-dimensional objects, and identify three-dimensional objects generated by rotations of two-dimensional objects.

Understand the relationships between lengths, areas, and volumes.

G.GMD.5 Understand how and when changes to the measures of a figure (lengths or angles) result in similar and non-similar figures. **G.GMD.6** When figures are similar, understand and apply the fact that when a figure is scaled by a factor of k, the effect on lengths, areas, and volumes is that they are multiplied by k, k^2 , and k^3 , respectively.

MODELING WITH GEOMETRY

G.MG

Apply geometric concepts in modeling situations.

G.MG.1 Use geometric shapes, their measures, and their properties to describe objects, e.g., modeling a tree trunk or a human torso as a cylinder.★

G.MG.2 Apply concepts of density based on area and volume in modeling situations, e.g., persons per square mile, BTUs per cubic foot.★

G.MG.3 Apply geometric methods to solve design problems, e.g., designing an object or structure to satisfy physical constraints or minimize cost; working with typographic grid systems based on ratios.★



High School—Statistics and Probablity

Decisions or predictions are often based on data—numbers in context. These decisions or predictions would be easy if the data always sent a clear message, but the message is often obscured by variability. Statistics provides tools for describing variability in data and for making informed decisions that take it into account.

Data are gathered, displayed, summarized, examined, and interpreted to discover patterns and deviations from patterns. Quantitative data can be described in terms of key characteristics: measures of shape, center, and spread. The shape of a data distribution might be described as symmetric, skewed, flat, or bell shaped, and it might be summarized by a statistic measuring center (such as mean or median) and a statistic measuring spread (such as standard deviation or interquartile range). Different distributions can be compared numerically using these statistics or compared visually using plots. Knowledge of center and spread are not enough to describe a distribution. Which statistics to compare, which plots to use, and what the results of a comparison might mean, depend on the question to be investigated and the real-life actions to be taken.

Randomization has two important uses in drawing statistical conclusions. First, collecting data from a random sample of a population makes it possible to draw valid conclusions about the whole population, taking variability into account. Second, randomly assigning individuals to different treatments allows a fair comparison of the effectiveness of those treatments. A statistically significant outcome is one that is unlikely to be due to chance alone, and this can be evaluated only under the condition of randomness. The conditions under which data are collected are important in drawing conclusions from the data; in critically reviewing uses of statistics in public media

and other reports, it is important to consider the study design, how the data were gathered, and the analyses employed as well as the data summaries and the conclusions drawn.

Random processes can be described mathematically by using a probability model: a list or description of the possible outcomes (the sample space), each of which is assigned a probability. In situations such as flipping a coin, rolling a number cube, or drawing a card, it might be reasonable to assume various outcomes are equally likely. In a probability model, sample points represent outcomes and combine to make up events; probabilities of events can be computed by applying the Addition and Multiplication Rules. Interpreting these probabilities relies on an understanding of independence and conditional probability, which can be approached through the analysis of two-way tables.

Technology plays an important role in statistics and probability by making it possible to generate plots, regression functions, and correlation coefficients, and to simulate many possible outcomes in a short amount of time.

CONNECTIONS TO FUNCTIONS AND MODELING

Functions may be used to describe data; if the data suggest a linear relationship, the relationship can be modeled with a regression line, and its strength and direction can be expressed through a correlation coefficient.



Statistics and Probability Standards

CONDITIONAL PROBABILITY AND THE RULES OF PROBABILITY

S.CP

Understand independence and conditional probability, and use them to interpret data.

- **S.CP.1** Describe events as subsets of a sample space (the set of outcomes) using characteristics (or categories) of the outcomes, or as unions, intersections, or complements of other events ("or," "and," "not").★
- **S.CP.2** Understand that two events A and B are independent if and only if the probability of A and B occurring together is the product of their probabilities, and use this characterization to determine if they are independent.★
- **S.CP.3** Understand the conditional probability of A given B as $^{P(A \text{ and B})}/_{P(B)}$, and interpret independence of A and B as saying that the conditional probability of A given B is the same as the probability of A, and the conditional probability of B given A is the same as the probability of B. \bigstar
- **S.CP.4** Construct and interpret two-way frequency tables of data when two categories are associated with each object being classified. Use the two-way table as a sample space to decide if events are independent and to approximate conditional probabilities. For example, collect data from a random sample of students in your school on their favorite subject among math, science, and English. Estimate the probability that a randomly selected student from your school will favor science given that the student is in tenth grade. Do the same for other subjects and compare the results. ★

S.CP.5 Recognize and explain the concepts of conditional probability and independence in everyday language and everyday situations. For example, compare the chance of having lung cancer if you are a smoker with the chance of being a smoker if you have lung cancer.★

Use the rules of probability to compute probabilities of compound events in a uniform probability model.

- **S.CP.6** Find the conditional probability of A given B as the fraction of B's outcomes that also belong to A, and interpret the answer in terms of the model.★
- **S.CP.7** Apply the Addition Rule, P(A or B) = P(A) + P(B) P(A and B), and interpret the answer in terms of the model. \star
- (+) **S.CP.8** Apply the general Multiplication Rule in a uniform probability model^G, $P(A \text{ and } B) = P(A) \cdot P(B|A) = P(B) \cdot P(A|B)$, and interpret the answer in terms of the model. \star (G, M2)
- (+) **S.CP.9** Use permutations and combinations to compute probabilities of compound events and solve problems.★ (G, M2)



Glossary

Addition and subtraction within 5, 10, 20, 100, or 1000. Addition or subtraction of two whole numbers with whole number answers, and with sum or minuend in the range 0-5, 0-10, 0-20, or 0-100, respectively. Example: 8 + 2 = 10 is an addition within 10, 14 - 5 = 9 is a subtraction within 20, and 55 - 18 = 37 is a subtraction within 100.

Additive inverses. Two numbers whose sum is 0 are additive inverses of one another. Example: $\frac{3}{4}$ and $-\frac{3}{4}$ are additive inverses of one another because $\frac{3}{4}$ + $(-\frac{3}{4})$ = $(-\frac{3}{4})$ + $\frac{3}{4}$ = 0.

Algorithm. See also: computation algorithm.

Associative property of addition. See Table 3 in this Glossary.

Associative property of multiplication. See Table 3 in this Glossary.

Bivariate data. Pairs of linked numerical observations. Example: a list of heights and weights for each player on a football team.

Box plot. A method of visually displaying a distribution of data values by using the median, quartiles, and extremes of the data set. A box shows the middle 50% of the data. See also: first quartile and third quartile.

Commutative property. See Table 3 in this Glossary.

Complex fraction. A fraction $^{A}/_{B}$ where A and/or B are fractions (B nonzero).

Computation algorithm. A set of predefined steps applicable to a class of problems that gives the correct result in every case when the steps are carried out correctly. See also: computation strategy.

Computation strategy.
Purposeful manipulations that may be chosen for specific problems, may not have a fixed order, and may be aimed at converting one problem into another. See also: computation algorithm.

Congruent. Two plane or solid figures are congruent if one can be obtained from the other by rigid motion (a sequence of rotations, reflections, and translations).

Counting on. A strategy for finding the number of objects in a group without having to count every member of the group. For example, if a stack of books is known to have 8 books and 3 more books are added to the top, it is not necessary to count the stack all over again. One can find the total by counting on—pointing to the top book and saying "eight," following this with "nine, ten, eleven. There are eleven books now."

Dilation. A transformation that moves each point along the ray through the point emanating from a fixed center, and multiplies distances from the center by a common scale factor.

Dot plot. See also: line plot.



¹ Adapted from Wisconsin Department of Public Instruction, http://dpi.wi.gov/ standards/mathglos.html, accessed March 2, 2010.

² Many different methods for computing quartiles are in use. The method defined here is sometimes called the Moore and McCabe method. See Langford, E., "Quartiles in Elementary Statistics," Journal of Statistics Education Volume 14, Number 3 (2006).

Expanded form. A multidigit number is expressed in expanded form when it is written as a sum of single-digit multiples of powers of ten. For example, 643 = 600 + 40 + 3.

Expected value. For a random variable, the weighted average of its possible values, with weights given by their respective probabilities.

First quartile. For a data set with median M, the first quartile is the median of the data values less than M. Example: For the data set {1, 3, 6, 7, 10, 12, 14, 15, 22, 120}, the first quartile is 6.2 See also: median, third quartile, interquartile range.

Fluency. The ability to use efficient, accurate, and flexible methods for computing. Fluency does not imply timed tests.

Fluently. See also: fluency.

Fraction. A number expressible in the form $^a/_b$ where a is a whole number and b is a positive whole number. (The word fraction in these standards always refers to a non-negative number.) See also: rational number.

Identity property of 0. See Table 3 in this Glossary.

Independently combined probability models. Two probability models are said to be combined independently if the probability of each ordered pair in the combined model equals the product of the original probabilities of the two individual outcomes in the ordered pair.

Integer. A number expressible in the form *a* or –*a* for some whole number *a*.

Interquartile Range. A measure of variation in a set of numerical data, the interquartile range is the distance between the first and third quartiles of the data set. Example: For the data set $\{1, 3, 6, 7, 10, 12, 14, 15, 22, 120\}$, the interquartile range is 15 - 6 = 9. See also: first quartile, third quartile.

Justify: To provide a convincing argument for the truth of a statement to a particular audience.

Line plot. A method of visually displaying a distribution of data values where each data value is shown as a dot or mark above a number line. Also known as a dot plot.³

Mean. A measure of center in a set of numerical data, computed by adding the values in a list and then dividing by the number of values in the list. (To be more precise, this defines the arithmetic mean)

Example: For the data set {1, 3, 6, 7, 10, 12, 14, 15, 22, 120}, the mean is 21.

Mean absolute deviation.

A measure of variation in a set of numerical data, computed by adding the distances between each data value and the mean, then dividing by the number of data values. Example: For the data set {2, 3, 6, 7, 10, 12, 14, 15, 22, 120}, the mean absolute deviation is 20.



³ Adapted from Wisconsin Department of Public Instruction, *op. cit.*

⁴ Adapted from Wisconsin Department of Public Instruction, *op. cit.*

Median. A measure of center in a set of numerical data. The median of a list of values is the value appearing at the center of a sorted version of the list—or the mean of the two central values, if the list contains an even number of values. Example: For the data set {2, 3, 6, 7, 10, 12, 14, 15, 22, 90}, the median is 11.

Midline. In the graph of a trigonometric function, the horizontal line halfway between its maximum and minimum values.

Multiplication and division within 100.

Multiplication or division of two whole numbers with whole number answers, and with product or dividend in the range 0-100. Example: $72 \div 8 = 9$.

Multiplicative inverses.

Two numbers whose product is 1 are multiplicative inverses of one another. Example: $^{3}/_{4}$ and $^{4}/_{3}$ are multiplicative inverses of one another because $^{3}/_{4} \times ^{4}/_{3} = ^{4}/_{3} \times ^{3}/_{4} = 1$.

Number line diagram. A diagram of the number line used to represent numbers and support reasoning about them. In a number line diagram for measurement quantities, the interval from 0 to 1 on the diagram represents the unit of measure for the quantity.

Percent rate of change. A rate of change expressed as a percent. Example: if a population grows from 50 to 55 in a year, it grows by $\frac{5}{50} = 10\%$ per year.

Probability distribution.

The set of possible values of a random variable with a probability assigned to each.

Properties of operations.See Table 3 in this
Glossary.

Properties of equality. See Table 4 in this Glossary.

Properties of inequality. See Table 5 in this Glossary.

Properties of operations. See Table 3 in this Glossary.

Probability. A number between 0 and 1 used to quantify likelihood for processes that have uncertain outcomes (such as tossing a coin, selecting a person at random from a group of people, tossing a ball at a target, or testing for a medical condition).

Probability model. A probability model is used to assign probabilities to outcomes of a chance process by examining the nature of the process. The set of all outcomes is called the sample space, and their probabilities sum to 1. See also: uniform probability model.

Prove: To provide a logical argument that demonstrates the truth of a statement. A proof is typically composed of a series of justifications, which are often single sentences, and may be presented informally or formally.

Random variable. An assignment of a numerical value to each outcome in a sample space.

Rational expression. A quotient of two polynomials with a nonzero denominator.



⁵ Adapted from Wisconsin Department of Public Instruction, *op. cit.* **Rational number.** A number expressible in the form ${}^a/_b$ or $-{}^a/_b$ for some fraction ${}^a/_b$. The rational numbers include the integers.

Rectilinear figure. A polygon all angles of which are right angles.

Rigid motion. A transformation of points in space consisting of a sequence of one or more translations, reflections, and/or rotations. Rigid motions are here assumed to preserve distances and angle measures.

Repeating decimal. The decimal form of a rational number. See also: terminating decimal.

Sample space. In a probability model for a random process, a list of the individual outcomes that are to be considered.

Scatter plot. A graph in the coordinate plane representing a set of bivariate data. For example, the heights and weights of a group of people could be displayed on a scatter plot.⁵

Similarity transformation. A rigid motion followed by a dilation.

Standard Algorithm. See Computational Algorithm

Tape diagram. A drawing that looks like a segment of tape, used to illustrate number relationships. Also known as a strip diagram, bar model, fraction strip, or length model.

Terminating decimal. A decimal is called terminating if its repeating digit is 0.

Third quartile. For a data set with median *M*, the third

quartile is the median of the data values greater than *M*. Example: For the data set {2, 3, 6, 7, 10, 12, 14, 15, 22, 120}, the third quartile is 15. See also: median, first quartile, interquartile range.

Transitivity principle for indirect measurement. If the length of object A is greater than the length of object B, and the length of object B is greater than the length of object C, then the length of object A is greater than the length of object C. This principle applies to measurement of other quantities as well.

Trapezoid. 1. A trapezoid is a quadrilateral with at least one pair of parallel sides. (inclusive definition) 2. A trapezoid is a quadrilateral with exactly one pair of parallel sides. (exclusive definition) Districts may choose either definition to use for instruction. Ohio's State

Tests' items will be written so that either definition will be acceptable.

Uniform probability model. A probability model which assigns equal probability to all outcomes. See also: probability model.

Vector. A quantity with magnitude and direction in the plane or in space, defined by an ordered pair or triple of real numbers.

Verify: To check the truth or correctness of a statement in specific cases.

Visual fraction model. A tape diagram, number line diagram, or area model.

Whole numbers. The numbers 0, 1, 2, 3,



TABLE 3. THE PROPERTIES OF OPERATIONS.

Here *a*, *b* and *c* stand for arbitrary numbers in a given number system. The properties of operations apply to the rational number system, the real number system and the complex number system.

ASSOCIATIVE PROPERTY OF ADDITION (a + b) + c = a + (b + c)

COMMUTATIVE PROPERTY OF ADDITION a + b = b + a

ADDITIVE IDENTITY PROPERTY OF 0 a + 0 = 0 + a = a

EXISTENCE OF ADDITIVE INVERSES For ever a there exists -a so that a + (-a) = (-a) + a = 0

ASSOCIATIVE PROPERTY OF MULTIPLICATION $(a \times b) \times c = a \times (b \times c)$

COMMUTATIVE PROPERTY OF MULTIPLICATION $a \times b = b \times a$

MULTIPLICATIVE IDENTITY PROPERTY OF 1 $a \times 1 = 1 \times a = a$

EXISTENCE OF MULTIPLICATIVE INVERSES For every $a \ne 0$ there exists $\frac{1}{a}$ so that $a \times \frac{1}{a} = \frac{1}{a} \times a = 1$

DISTRIBUTIVE PROPERTY OF MULTIPLICATION OVER ADDITION $a \times (b+c) = a \times b + a \times c$

TABLE 4. THE PROPERTIES OF EQUALITY.

Here *a*, *b* and *c* stand for arbitrary numbers in the rational, real or complex number sytems.

REFLEXIVE PROPERTY OF EQUALITY a = a

SYMMETRIC PROPERTY OF EQUALITY If a = b, then b = a.

TRANSITIVE PROPERTY OF EQUALITY If a = b and b = c, then a = c.

ADDITION PROPERTY OF EQUALITY If a = b, then a + c = b + c.

SUBTRACTION PROPERTY OF EQUALITY If a = b, then a - c = b - c.

MULTIPLICATION PROPERTY OF EQUALITY If a = b, then $a \times c = b \times c$.

DIVISION PROPERTY OF EQUALITY If a = b and $c \neq 0$, then $a \div c = b \div c$.

SUBSTITUTION PROPERTY OF EQUALITY If a = a, then b may be substituted for a in any expression containing a.



TABLE 5. THE PROPERTIES OF INEQUALITY.

Here *a*, *b* and *c* stand for arbitrary numbers in the rational or real number sytems.

Exactly one of the following is true: a < b, a = b, a > b.

If a > b and b > c, then a > c.

If a > b, then b < a.

If a > b, then -a < -b.

If a > b, then $a \pm c > b \pm c$.

If a > b and c > 0, then $a \times c > b \times c$.

If a > b and c < 0, then $a \times c < b \times c$.

If a > b and c < 0, then $a \times c < b \times c$.

If a > b and c < 0, then $a \times c < b \times c$.

If a > b and c < 0, then $a \times c < b \times c$.



Acknowledgements

ADVISORY COMMITTEE MEMBERS

Aaron Altose

The Ohio Mathematics Association of Two-Year Colleges

Jeremy Beardmore

Ohio Educational Service Center Association

Jessica Burchett

Ohio Teachers of English to Speakers of Other Languages

Jeanne Cerniglia

Ohio Education Association

Margie Coleman

Cochair

Jason Feldner

Ohio Association for Career and Technical Education

Brad Findell

Ohio Higher Education

Gregory D. Foley

Ohio Mathematics and Science Coalition

Margaret (Peggy) Kasten

Cochair

Courtney Koestler

Ohio Mathematics Education Leadership Council

Scott Mitter

Ohio Math and Science Supervisors

Tabatha Nadolny

Ohio Federation of Teachers

Eydie Schilling

Ohio Association for Supervision and Curriculum Development

Kim Yoak

Ohio Council of Teachers of Mathematics



WORKING GROUP MEMBERS

Darry Andrews

Higher Education, Ohio State University, C

Bridgette Beeler

Teacher, Perrysburg Exempted Local, NW

Melissa Bennett

Teacher, Minford Local, SE

Dawn Bittner

Teacher, Cincinnati Public Schools, SW

Katherine Bunsey

Teacher, Lakewood City, NE

Hoyun Cho

Higher Education, Capital University, C

Viki Cooper

Curriculum Specialist/Coordinator, Pickerington Local, C

Ali Fleming

Teacher, Bexley City, C

Linda Gillum

Teacher, Springboro City Schools, SW

Gary Herman

Curriculum Specialist/Coordinator, Putnam County ESC, NW

William Husen

Higher Education, Ohio State University, C

Kristen Kellv

Curriculum Specialist/Coordinator, Cleveland Metropolitan School District, NE

Endora Kight Neal

Curriculum Specialist/Coordinator, Cleveland Metropolitan School District, NE Julie Kujawa

Teacher, Oregon City, NW

Sharilyn Leonard

Teacher, Oak Hill Union Local Schools, SE

Michael Lipnos

Curriculum Specialist/Coordinator, Aurora City, NE

Dawn Machacek

Teacher, Toledo Public Schools, NW

Janet McGuire

Teacher, Gallia County Schools, SE

Jill Madonia

Curriculum Specialist/Coordinator, Akron Public Schools, NE

Cindy McKinstry

Teacher, East Palestine City, NE

Cindy Miller

Curriculum Specialist/Coordinator, Maysville Local, SE

Anita O'Mellan

Higher Education, Youngstown State University, NE

Sherryl Proctor

Teacher, Vantage Career Center, NW

Diane Reisdorff

Teacher, Westlake City, NE

Susan Rice

Teacher, Mount Vernon City, C

Tess Rivero

Teacher, Bellbrook-Sugarcreek Schools, SW

Benjamin Shaw

Curriculum Specialist/Coordinator, Mahoning County ESC, NE

Julia Shew

Higher Education, Columbus State Community College, C

Tiffany Sibert

Teacher, Lima Shawnee Local, NW

Jennifer Statzer

Principal, Greenville City, SW

Karma Vince

Teacher, Sylvania City, NW

Jennifer Walls

Teacher, Akron Public Schools, NE

Gaynell Wamer

Teacher, Toledo City, NW

Victoria Warner

Teacher, Greenville City, SW

Mary Webb

Teacher, North College Hill, SW

Barb Weidus

Curriculum Specialist/Coordinator, New Richmond Exempted Village, SW

Sandra Wilder

Teacher, Akron Public Schools, NE

Tong Yu

Teacher, Cincinnati Public Schools, SW

